(iii)

| Kennedy, P. M. and Przybylski, A., Radial velocities and three-colour photometry of 166 southern stars | 95 |
|--|--------------------------|
| Large, M. I., Quigley, M. J. S. and Haslam, C. G. T., A radio study of the north polar spur. II, A survey at low declinations | 335 |
| Long, R. J., Conway, R. G. and Daintree, E. J., Observations of radio sources at 612 and 1400 Mc/s | 159 |
| Mathewson, D. S. and Westerlund, B. E., Supernova remnants in the Large Magellanic Cloud | 371 |
| McVittie, G. C. and Geisler, Pamela A., The shape of the interstellar reddening curve Mestel, L., A note on the spin of sub-condensations forming in a differentially rotating medium | 475 307 |
| Monaghan, J. J., Magnetic fields in stellar bodies. I, Magnetic fields in polytropes Monaghan, J. J. and Roxburgh, I. W., The structure of rapidly rotating polytropes Murphy, J. O. and Van der Borght, R., Anharmonic pulsations of an early main-sequence | 13 |
| Narlikar, J. V., On Newtonian universes | 501 |
| Ostic, R. G., Physical conditions in gaseous spheres | 191 |
| Pachner, J., An oscillating isotropic universe without singularity Parker, E. A. and Wills, D., The positions and flux densities of 74 radio sources from the 3C | 173 |
| catalogue | 503 |
| equator | 467 |
| from the Sun | 383 |
| electron density in the solar corona in the region $5 < R/R < 16$ obtained from measurements of Fraunhofer line depth, and the polarization of the F corona | 399 |
| Planets: — Chemical evidence relative to the origin of the solar system, H. C. Urey | 199 |
| Plaskett, H. H., The polar rotation of the Sun | 407 |
| southern stars | 95 |
| Quigley, M. J. S., Haslam, C. G. T. and Large, M. I., A radio study of the north polar spur. II, A survey at low declinations | 335 |
| Radio Astronomy: — Cosmic radio noise measurements from satellite Ariel II. I, Receiving system and | |
| preliminary results, J. Hugill and F. G. Smith | 137 |
| sky brightness, F. G. Smith Observations of radio sources at 612 and 1400 Mc/s, R. G. Conway, E. J. Daintree and R. J. Long | 145 |
| Radio sources having spectra with a low frequency cut-off, J. M. Hornby and P. J. S. Williams | 237 |
| — A radio study of the north polar spur. II, A survey at low declinations, M. I. Large, M. J. S. Quigley and C. G. T. Haslam | 335 |
| The positions and flux densities of 74 radio sources from the 3C catalogue, D. Wills and E. A. Parker | 503 |
| Roxburgh, I. W. and Monaghan, J. J., The structure of rapidly rotating polytropes | 13 |
| Shobbrook, R. R., Southern groups and clusters of galaxies. I, Spectra and radial velocities of nineteen southern galaxies | 293 |
| three southern galaxies | 351 |
| galaxies | -6- |
| | 365 |
| observed sky brightness | 145 |
| observed sky brightness Smith, F. G. and Hugill, J., Cosmic radio noise measurements from satellite Ariel II. I, Receiving system and preliminary results Stars, Clusters and Groups of: | 145 |
| observed sky brightness Smith, F. G. and Hugill, J., Cosmic radio noise measurements from satellite Ariel II. I, Receiving system and preliminary results Stars, Clusters and Groups of: — A photometric and spectroscopic study of the cluster IC 2944, A. D. Thackeray and A. J. Wesselink | 145 |
| observed sky brightness | 145 |
| observed sky brightness Smith, F. G. and Hugill, J., Cosmic radio noise measurements from satellite Ariel II. I, Receiving system and preliminary results Stars, Clusters and Groups of: — A photometric and spectroscopic study of the cluster IC 2944, A. D. Thackeray and A. J. Wesselink — A photometric study of the I Scorpii association, B. J. Bok, P. F. Bok and J. A. Graham | 145 137 121 247 |

| | PAGE |
|--|------------|
| Stars, Motions of: — Radial velocities and three-colour photometry of 166 southern stars, A. Przybylski and P. M. Kennedy | 95 |
| Stars, Spectra of: | 93 |
| — A high dispersion spectral analysis of the BII stars HD 116713 and HD 83548, I. J. Danziger | 51 |
| Pressure broadening and opacity in the M2V star HD 95735, M. S. Vardya and K-H. | |
| — The spectrum of the 1962 supernova in NGC 1313, P. W. Hill | 155 |
| — The spectroscopic binary δ Pictoris, A. D. Thackeray | 435 |
| The physics of the nova phenomenon, I, M. Friedjung | 447 |
| — Hα photometry of late-type stars. II, F and G type dwarf stars south of the equator, D. W. Peat | 467 |
| Stars, Structure and Evolution of: | |
| — The structure of rapidly rotating polytropes, J. J. Monaghan and I. W. Roxburgh | 13 |
| Magnetic fields in stellar bodies. I, Magnetic fields in polytropes, J. J. Monaghan Anharmonic pulsations of an early main-sequence star, R. Van der Borght and J. O. | 105 |
| Murphy | 225 |
| On the theory of evolution of completely mixed stars with mass loss, R. Stothers | 253 |
| — The two colour diagram as a key to past rates of star formation and past rates of metal enrichment of the interstellar medium, II, M. E. Dixon | 225 |
| — On M dwarf flare stars, M. S. Vardya | 325 521 |
| Stathers, R., On the theory of evolution of completely mixed stars with mass loss | 253 |
| Strittmatter, P. A., A note on gravitational instability in a magnetic medium | 491 |
| Sun: | |
| Observations of the 1963 July 20 solar eclipse. I, Spectroscopic separation of the F and K components of the solar corona at large distances from the Sun, D. E. Blackwell and A. D. Petford | 383 |
| - Observations of the 1963 July 20 solar eclipse. II, The electron density in the solar | 303 |
| corona in the region $5 < R/R < 16$ obtained from measurements of Fraunhofer line | |
| depth and the polarization of the F corona, D. E. Blackwell and A. D. Petford —— The polar rotation of the Sun, H. H. Plaskett | 399 407 |
| Syrge, J. L., The escape of photons from gravitationally intense stars | 463 |
| Universe—Cosmology: | 4-3 |
| Olbers' Paradox and the background radiation density in an isotropic homogener | |
| universe, E. R. Harrison | 100 |
| — An oscillating isotropic universe without singularity, J. Pachner Theoretical observable properties of the normal relativistic world models and the steady- | 15 |
| state world model, J. R. Glanfield | 2" [|
| — Transformations leaving the de Sitter line-element invariant, M. G. J. van der Burg — On Newtonian universes, J. V. Narlikar | |
| | |
| Thackeray, A. D., The spectroscopic binary δ Pictoris Thackeray, A. D. and Wesselink, A. J., A photometric and spectroscopic study of the cluster | |
| IC 2944 | |
| Underhill, Anne B, and Walker, G. A. H., The shape of the interstellar reddening curve | 475 |
| Urey, H. C., Chemical evidence relative to the origin of the solar system | 199 |
| Van der Borght, R. and Murphy, J. O., Anharmonic pulsations of an early main-sequence star | 225 |
| van der Burg, M. G. J., Transformations leaving the de Sitter line-element invariant | 499 |
| Vardya, M. S., On M dwarf flare stars | 521 89 |
| Walker, G. A. H. and Underhill, Anne B., The shape of the interstellar reddening curve | 475 |
| Westerlund, B. E. and Mathewson, D. S., Supernova remnants in the Large Magellanic Cloud Wesselink, A. J. and Thackeray, A. D., A photometric and spectroscopic study of the cluster | 371 |
| Wickramasinghe, N. C., On the growth and destruction of ice mantles on interstellar graphite | 121 |
| grains | 177 |
| Wickramasinghe, N. C., On the optics of small graphite spheres, I | 263 |
| Williams, P. J. S. and Hornby, J. M., Radio sources having spectra with a low frequency cut-off | 237 |
| Wills, D. and Parker, E. A., The positions and flux densities of 74 radio sources from the 3C | ~31 |
| anta amus | |

Printed in England

TAYLOR & FRANCIS LTD, Red Lion Court, Fleet Street, London, E.C.4

AGE

1°2

XUM